



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

May 10, 2018

Lisa Adamson  
Control Solutions, Inc.  
5903 Genoa Red Bluff Rd  
Pasadena, TX 77507

Subject: Label Amendment – Addition of CRP packaging  
Product Name: FLEE FOR CATS  
EPA Registration Number: 53883-359  
Application Date: 20-Feb-2018  
Decision Number: 538740

Dear Ms. Adamson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Dr. Breeden-Alemi at 703-347-0511 or via email at [Breeden-Alemi.Julie@epa.gov](mailto:Breeden-Alemi.Julie@epa.gov).

Page 2 of 2  
EPA Reg. No. 53883-359  
Decision No. 538740

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3  
Invertebrate and Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

# Control Solutions, Inc. Master Label

Information in [ ] is optional.

EPA No. 53883-359

**[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side, folded label panels or on insert.] Information in italics and/or braces { } is included for the reviewer only.**

**{On the final printed label CRP SAUE instructions will not change in text or format from that used in testing}**

**Primary brand name: FLEE™ for Cats** *(On market label “Cats” will be 75% the size of the largest letter in the primary brand name)*


**Alternate brand names:**

**Sublabel 1: FLEE™ Multi-Dosage for Cats** *(On market label “Cats” will be 75% the size of the largest letter in the primary brand name)*

**Sublabel 2: FLEE™ Spot-On for Cats** *(On market label “Cats” will be 75% the size of the largest letter in the primary brand name)*

**Sublabel 1: FLEE™ Multi-Dosage for Cats for Use Only by Licensed Veterinarians** *(On market label “Cats” will be 75% the size of the largest letter in the primary brand name)*

**Sublabel 2: FLEE™ Spot-On for Cats** *(On market label “Cats” will be 75% the size of the largest letter in the primary brand name)*



**Sublabel 1: FLEE™ Multi-Dosage for Cats**  
*{Front Panel of Carton}*

**Flee Multi-Dosage for Cats**

*{On market label "Cats" will be 75% the size of the largest letter in the primary brand name}*

**FOR USE ONLY BY LICENSED VETERINARIANS ON CATS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION**

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Keep product in its original container. Keep bottle with the original carton at all times. Do not repackage. Not to be distributed as samples. Do not use bottle and applicator with any other product.

*{One of the following statements will appear on the front panel.}*

Use ONLY on cats [&] [and] kittens over 1.5 lbs., over 8 weeks old <i>OR</i> ONLY For Cats & Kittens, older than 8 weeks [&] [and] over 1.5 lbs.
--

*{insert large, clear picture of cat in the weight range on front panel}*

**ACTIVE INGREDIENT:**

Fipronil.....	9.70%
<b>OTHER INGREDIENTS:</b> .....	<u>90.30%</u>
<b>TOTAL</b>	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for First Aid and Additional Precautionary Statements

**Net Contents:** 0.68 fl oz (20.10 ml)

{Back Panel of Carton}

<b>FIRST AID</b>	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for treatment advice.
<b>HOTLINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

**READ ENTIRE LABEL BEFORE EACH USE.**

**USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE AND OVER 1.5 LBS.**

[[**Brand Name**] delivers [effective] protection against fleas, ticks, and chewing lice. [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Controls existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days].

Apply as a spot to the cat to kill fleas, ticks and chewing lice.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.**

For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Over dosing a cat can result in serious illness and even death. As with any product, use caution before using this product on medicated, debilitated, aged, cats with known organ dysfunction, pregnant or nursing cats. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any

topical flea and tick control product.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **FOR USE ONLY BY LICENSED VETERINARIANS ON CATS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION. DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND THE CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

### USE RESTRICTIONS:

Do not use on rabbits or animals other than cats. Do not allow the cat to ingest this product. Do not use on kittens under 8 weeks of age and weighing less than 1.5 lbs. Do not apply more than once every 4 weeks [30 days]. Do not apply more than the specified amount of product to the cat regardless of the cat's weight. Instruct the cat owner to separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Do not bathe or allow the cat to swim for 24 hours after application. Cat needs to be dry at the time of application and remain dry for 24 hours after application.

*(This statement will be placed on the back panel at the lower right corner of the market label)*  
Side Effects: Monitor Cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise cat owner to consult veterinarian or SafetyCall at 1-866-897-8050.

For use only by licensed veterinarians on Cats in their control or under their immediate supervision

See inner panel of [back] [front] flap for [directions on How to Apply]/[additional Directions for Use].

*{Inner Panels of Back or Front Carton Flap}*

### How to Apply

To determine the correct application rate, use the following chart.

Application Rate*	
Do not apply to Cats weighing less than 1.5 lbs or less than 8 weeks of age	
<u>Weight:</u>	<u>Apply:</u>
>[over] 1.5 lbs.	0.5 ml

\* Do not apply to cats weighing less than 1.5 lbs. Do not apply more than the specified amount of product to the cat regardless of the cat's weight.

[Optional graphic of the applicator tip]



#### How to Use:

1. Twist the applicator cap to break the seal and remove. [This seal is broken only upon first use.] retain cap as it is used to re-seal the applicator after applying product dose[s].
2. Holding neck of device vertically, twist the applicator nozzle, as unlock arrows indicate, you will hear a click.
3. Invert the bottle with the device over the cat's back
4. Part the cat's hair, so that the product can be applied directly to the skin
5. Apply as a spot to the [back] [base] of the cat's neck, above the shoulder blades.
6. Application: Pump the applicator once [all the way until it stops expelling the product][all the way down to get the full dose].
7. Replace the cap on the applicator and lock the device by following the lock arrows [by twisting the top of the applicator after application].
8. Keep out of reach of children.

Do not apply more frequently than once every 4 weeks.

Applicator pump works only when applicator tip is pointing down. Do not [activate pump][squeeze pump] while applicator tip is pointing up. Applicator will not deliver a full dose if applicator tip is pointing up while [squeezing pump][applying][activating pump].

#### **FREQUENCY OF APPLICATION**

[**Brand Name**] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [**Brand Name**] for 30 days [4 weeks] [1 month].

*{Storage and Disposal may be located on the back panel, an inner flap (front or back) or on a side panel as space allows}*

#### **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Keep product in its original container. Do not repackage. Store in a cool (below 77°F [25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL:** Non-refillable container. Do not reuse or refill the applicator, once the bottle is empty. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill the applicator, once the bottle is empty. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

#### **LIMITATION OF WARRANTY AND LIABILITY**

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]  
[Non-Emergency, call XXX-XXX-XXXX]  
[Formulated in the USA]

Control Solutions, Inc.  
5903 Genoa-Red Bluff Road  
Pasadena, TX 77507

EPA Reg. No. 53883-359  
EPA Est. No. XXXX-XXX-XXX

[BAR CODE AREA]  
Lot code

**{START – METERED DOSING APPLICATOR/BOTTLE LABEL}**

{Front Label}	{Back Label}
FLEE™ Multi-Dose for Cats Fipronil 9.7% 0.68 fl oz [(20.10 ml)] EPA REG. No. 53883-359  Use ONLY on cats [&] [and] kittens over 1.5 lbs., over 8 weeks old <i>OR</i> ONLY For Cats & Kittens, older than 8 weeks [&] [and] over 1.5 lbs.	KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before each use.  For External Use Only – Application to Skin

*{Lot code will be printed on the label or the bottle}*

**{END – METERED DOSING APPLICATOR/BOTTLE LABEL}**

### *Optional Marketing Claims for sublabel 1*

[Use in animal shelters, under direct supervision of a veterinarian]  
[Multi-dose dispenser with metering applicator]  
[Convenient multi-dose dispenser with metering applicator for in clinic use]  
[Convenient multi-dose dispenser for animal facility use]  
[Accurate dosing for use on cats]  
[Convenient dosing for use on cats]  
[For use only by licensed veterinarians] [and use on cats under control or immediate supervision of a licensed veterinarian]]  
[Refer to chart for application rate]

[Bottle and Applicator is specifically calibrated for this Product only.]  
[Bottle and Applicator are for use with this product ONLY. Applicator is calibrated to accurately apply the specified rate for cats]  
[Refer to Application Rate Table to determine the number of [pumps] [squeezes] [pump/squeezes]]  
[Product comes with cap and applicator.]  
[Please refer to full label for additional information.]

#### **[Chewing Lice Claims]**

[Kills] [chewing lice] [lice] [rapidly] [infestations]

#### **[Flea Claims]**

[Kill Fleas]  
[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]  
[Kills newly emerged adult fleas before they lay eggs]  
[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]  
[Controls existing [flea] infestations] [and] [prevents new infestations]]  
[Monthly application may be needed for cats with high risk for flea reinfestation]

#### **[Tick Claims]**

[Kills ticks] [,] [including those transmitting Lyme disease]  
[Kills [all stages of] ticks [up to] [4 weeks] [1 month] [30 days]]  
[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)] [,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [, Rocky Mountain spotted fever] [, ehrlichiosis] [, babesiosis] [, anaplasmosis] [and] [other tick-borne diseases]]

#### **[Multiple Pest Claims]**

[Kills chewing lice and ticks]  
[Tick and flea control for cats [, including kittens over 8 weeks and over 1.5 lbs.]]  
[Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]  
[Once a month protection from fleas, ticks, and chewing lice ]  
[Once a month flea, tick, and chewing lice [application] [treatment]]  
[Effectively kills ticks, [fleas] and chewing lice]  
[[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]

[[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]  
 [Use [**Brand Name**] monthly to [kill] ticks and chewing lice]  
 [Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

**[Other Pest Claims]**

[Use on Cats and Kittens 8 weeks of age or older and over 1.5 lbs.]  
 [Apply] [to] kittens over 8 weeks of age and over 1.5 lbs.]  
 [Formulated for Cats and Kittens 8 weeks of age or older and over 1.5 lbs.]  
 [For Cats [weighing over 1.5 lbs. and 8 weeks of age or older]  
 [Convenient [applicator] [spot-on product]]  
 [Easy to Use]  
 [Apply monthly]  
 [Apply once every [4 weeks] [month] [30 days]!]  
 [Waterproof]  
 [Fast-acting]  
 [Long-lasting]  
 [Effective after bathing [and] [exposure to water and sunlight]]  
 [As with any product, use caution before using this product on debilitated, aged, pregnant or nursing cats]

[Optional graphics below may or may not appear anywhere on finished label]

	Adult Flea	
	Fleas	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Lone Star Tick	
	Chewing Lice	

**Sublabel 2: FLEE™ Spot-On for Cats**

*{Front of Panel of Carton}*

**FLEE™ Spot-On for Cats**

*{On market label “Cats” will be 75% the size of the largest letter in the primary brand name}*

*One of the following statements will appear on the front panel.*

Use ONLY on cats [&] [and] kittens over 1.5 lbs., over 8 weeks old *OR*  
ONLY For Cats & Kittens, older than 8 weeks [&] [and] over 1.5 lbs.

*{insert large, clear picture of cat in the weight range on front panel}*

**ACTIVE INGREDIENT:**

Fipronil.....	9.70%
<b>OTHER INGREDIENTS:</b> .....	<u>90.30%</u>
<b>TOTAL</b>	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel for First Aid and Additional Precautionary Statements

Open [flap][carton][flap and carton] [and see insert] for additional Directions for Use.

**Net Contents:** [3-pack [4-pack] [6-pack]; 0.051 [0.068] [0.102] fl oz (1.5 ml) [2.01 ml] [3.02 ml];  
3 [4] [6] applicators containing 0.017 fl. oz. each; 3 doses [4 doses] [6 doses]]

{Back Panel of Carton}

<b>FIRST AID</b>	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for treatment advice.
<b>HOTLINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

**READ ENTIRE LABEL BEFORE EACH USE.**

**USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE AND OVER 1.5 LBS.**

[[**Brand Name**] delivers [effective] protection against fleas, ticks, and chewing lice. [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Controls existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days]].

Apply as a spot to the cat to kill fleas, ticks and chewing lice.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.**

For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat a cat with more than one pesticide product at a time. Over dosing a cat can result in serious illness and even death. As with any product, use caution before using this product on medicated, debilitated, aged, cats with known organ dysfunction, pregnant or nursing cats. If the cat is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND THE CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

### **USE RESTRICTIONS**

Do not use on rabbits or animals other than cats. Do not allow the cat to ingest this product. Do not use on kittens under 8 weeks of age and weighting less than 1.5 lbs. Do not apply more than once every 4 weeks [30 days]. Do not apply more than one applicator per treatment to one cat regardless of the cat's weight. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Do not bathe or allow the cat to swim for 24 hours after application. Cat needs to be dry at the time of application and remain dry for 24 hours after application.


*{This statement will be placed on the back panel at the lower right corner of the market label}*  
Side Effects: Monitor your Cat after application. Some cats may experience some temporary skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise cat owner to consult veterinarian or SafetyCall at 1-866-897-8050.

[Open flap [See inside carton] for [directions on How to Use] / [Additional Directions for Use]]*{This statement will be used based upon the design of the actual package.}*

*{Inner panel of back or front carton flap/Inner carton or on Insert}  
{For CRP blister 3 count pack}*

How to Use:

## REMOVE AND OPEN BLISTER PACK



## OPEN APPLICATOR

Hold upright with foil side away from you and snap applicator tip back to open.

*{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}*  
{OPEN APPLICATOR text will accompany whichever CRP SAUE instruction set is used}


[Remove applicator[s] from packaging. Using one applicator, hold it with the narrow end pointing up. [Snap the outline of the tip back to allow access to the [dotted tip] [applicator]]. [Snap [Cut] the applicator tip [backwards] [across the marked line] [to allow access to the] [dotted tip] [notches][applicator]]. [Holding applicator away from your and your cat's eyes.] [[Snap][Cut] the applicator tip [at notched line] to open.] Invert applicator over cat and use open end to part cat's hair.]

[Apply [this product] at a spot between the cat's shoulder blades. Part the hair and place the open end of the applicator just above the skin. Squeeze the entire contents of the applicator and direct the solution in one spot and onto the cat's skin. Allow the area to dry. Use only one applicator per treatment.]

Do not apply more frequently than once every 4 weeks.

*{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}  
{For alternate CRP blister applicator (3-Count)}*

**1** Tear through perforation



**2** Fold back the safety tab




**3** Cut with scissors to open applicator



*{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}  
{For alternate CRP blister applicator (4-Count)}*

**1** Tear through perforation



**2** Fold back the safety tab



**3** Cut with scissors to open applicator



[Optional pictogram]



### FREQUENCY OF APPLICATION

[**Brand Name**] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [**Brand Name**] for 30 days [4 weeks] [1 month].

*{Storage and Disposal may be located on the back panel, an inner flap (front or back) or on a side panel as space allows}*

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep product in its original container. Do not repackage. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL:** Non-refillable container. Do not reuse or refill this container. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

### LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using

this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]

[Non-Emergency, call XXX-XXX-XXXX]

[Formulated in the USA]

Control Solutions, Inc.  
5903 Genoa-Red Bluff Road  
Pasadena, TX 77507

EPA Reg. No. 53883-359  
EPA Est. No. XXXX-XXX-XXX

[BAR CODE AREA]

Lot code

**{START –BLISTER LABEL/APPLICATOR LABEL – TEXT FOR EACH BLISTER LABEL/APPLICATOR LABEL}**

<p>FLEE™ Spot-On for Cats Fipronil 9.7% 0.017 fl oz [(0.5 ml)] EPA REG. No. 53883-359 Use ONLY on cats [&amp;] [and] kittens over 1.5 lbs., over 8 weeks old <i>OR</i> ONLY For Cats &amp; Kittens, older than 8 weeks [&amp;] [and] over 1.5 lbs.</p>	<p>KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before each use.</p>
--	--

*{Lot code will be printed on or molded into the applicator}*

**{END – BLISTER LABEL/APPLICATOR LABEL}**

## Optional Marketing Claims for Sublabel 2

[Please refer to full label for additional information.]

### **[Chewing Lice Claims]**

[Kills] [chewing lice] [lice] [rapidly] [infestations]

### **[Flea Claims]**

[Kill Fleas]

[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]

[Kills newly emerged adult fleas before they lay eggs]

[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]

[Controls existing [flea] infestations] [and] [prevents new infestations]]

[Monthly application may be needed for cats with high risk for flea reinfestation]

### **[Tick Claims]**

[Kills ticks] [,] [including those transmitting Lyme disease]

[Kills [all stages of] ticks [up to] [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)] [,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [, Rocky Mountain spotted fever] [, ehrlichiosis] [, babesiosis] [, anaplasmosis] [and] [other tick-borne diseases]]

### **[Multiple Pest Claims]**

[Kills chewing lice and ticks]

[Tick and flea control for cats [, including kittens over 8 weeks and over 1.5 lbs.]]

[Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]

[Once a month protection from fleas, ticks, and chewing lice]

[Once a month flea, tick, and chewing lice [application] [treatment]]

[Effectively kills ticks, [fleas] and chewing lice]

[[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]

[[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]

[Use [**Brand Name**] monthly to [kill] ticks and chewing lice]

[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

### **[Other Pest Claims]**

[Use on Cats and Kittens 8 weeks of age or older and over 1.5 lbs.]

[Apply] [to] kittens over 8 weeks of age and over 1.5 lbs.]

[Formulated for Cats and Kittens 8 weeks of age or older and over 1.5 lbs.]

[For Cats [weighing over 1.5 lbs. and over 8 weeks of age]]

[Convenient [applicator] [spot-on product]]

[Easy to Use]

[Apply monthly]

[Apply once every [4 weeks] [month] [30 days]!]

[Waterproof]

[Fast-acting]

[Long-lasting]

[[3][4][6] Applications]

[[3] [6] Month Supply]

[[4] Month Supply]

[Effective after bathing [and] [exposure to water and sunlight]]

[As with any product, use caution before using this product on debilitated, aged, pregnant or nursing cats]

[Optional graphics below may or may not appear anywhere on finished label]

	Adult Flea	
	Fleas	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Lone Star Tick	
	Chewing Lice	